| | DIAMETER OF TREE (INCHES) TREE SCALE STICK 1 16-FOOT LOG | | | | | | | | | | 6 | | | | | 8 | 10 38 | | 48 | | |
|---|--|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|---------------------|---------------------|---------------------|----------------|------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------|
| 1 | INTERNATIONAL RULE FC 79216-FOOT LOGSHOLD STICK LEVEL AGAINST TREE 23 INCHES316-FOOT LOGSFROM EYE AND 4 1/2 FEET ABOVE GROUND ON416-FOOT LOGSUPHILL SIDE OF TREE.516-FOOT LOGS | | | | | | | | | SS SS | (BOARD FOOT VOLUME) | | | | | | | 61 77 | | 79 101 | A |
| | STAND 66 FEET FROM TREE, HOLD STICK STRAIGHT UP AND DOWN 23 INCHES FROM EYE. SIGHT THIS END AT STUMP HEIGHT. NUMBER OF 16 | | | | | | | | 16 FOO | T LOGS | ; | -1 | | | | | | | | | |
| в | | 2 | 14 | | | | 16 | | | 18 | | 2 | 0 | | 22 | | 24 | | 26 | | |
| | 58 90 124 | 6 | 70 117 153 | 82 138 182 | 95 161 214 | 51 | 108 183 246 | 124 212 286 | 2 2 | 140 240 325 | 158 273 370 | 17 30 41 | 5 34 | 196 342 464 | 216 378 514 | 238 418 571 | 260 458 628 | 283 499 685 | 305 540 742 | 331 588 810 | с |
| | 141 | | 176 | | | 252 | | 340 | | 388 | 442 | 49 | 96 | 559 636 | 621 710 | 687 793 | 753 875 | 826 961 | 899 1046 | 980 1144 | |
| | 2 | | | | | | | | | | | | | | | ట | | | |] | |
| | 28 | | 30 3 | | 32 | | 34 | 36 | | | 38 | | 40 | | NAT | | FC | FORESTRY INVITA | | | AL |
| | 357 635 877 | 385 686 949 | 413 737 1020 | 444 793 1101 | 474 848 1181 | 506 907 1265 | 538 966 1349 | 570 1027 1435 | 602 1087 1521 | 638 1154 1621 | 1720 | 1822 | 1923 | 5 | | | • | | | 2 | 3 |
| | 1061 1242 | 1148 1350 | 1235 1458 | 1338 1572 | 1440 1685 | 1544 1809 | 1647 1932 | 1754 2061 | 1860 2189 | 1981 2339 | | 2232 2632 | | | | | | V | 10 | | |
| | | | | | | | | | 4 | | | | | | | | | | | | J |

Cut out each section of the tree scale stick on the outside edge of the black line. The scale stick is designed to fit on a yardstick. Apply rubber cement to the back of each section of the scale stick and stick it on the yardstick. Align the zero end of the scale stick flush with the zero end of the yardstick. Butt ends A & B of the scale stick together. Butt ends C & D together. When the scale stick is mounted on the yardstick, cover the scale stick and yardstick with clear contact paper. This will protect the scale stick against moisture and wear. Clear contact paper is available from K-Mart, WalMart, Target, etc.

D

The numbers (6 through 40) at the top edge of the stick represent even diameters. The line between each number represents the odd diameters (17, 19, 21, etc.) The numbers (1 through 5) on the bottom side of the stick represent 16-foot logs that can be cut from the tree. The line between each of these numbers represents a half-log.

The black numbers below each diameter measurement are the number of board-feet that can be cut from a tree with that specific diameter and number of 16-foot logs.